

HENDI

Tools for Chefs | Catalogue 2021



POTS & PANS



GASTRONORM
CONTAINERS



KITCHEN TOOLS



BAKING
& PASTRY



FOOD
PROCESSING



THERMAL FOOD
PROCESSING



PIZZA, PASTA
& KEBAB



CONVECTION
OVENS



COOLING



TRANSPORT
& FURNITURE



HYGIENE



BAR & COLD
DRINKS



HOT DRINKS



TABLEWARE



BUFFET
PRODUCTS



BARBECUES
& HEATERS



Executive Chef
Johann Mohr
[#chefsforhendi](#)

CUTTING BOARD HACCP

- Made of polyethylene HDPE 500.
- Meets HACCP standards.
- Both sides suitable for cutting.
- Can be cleaned in professional dishwashers (short program).



826201

HACCP CUTTING MAT SET - 6 PIECES

- For 6 cutting boards up to 20 mm thick.



code	mm	€
826201	303x211x(H)205	16,95

CUTTING BOARD HACCP 600X400

code	colour	mm	thickness (mm)	€
825600	White	600x400	18	31,95
825617	Red	600x400	18	31,95
825624	Blue	600x400	18	31,95
825631	Green	600x400	18	31,95
825648	Brown	600x400	18	31,95
825655	Yellow	600x400	18	31,95
825662	Purple	600x400	18	31,95

CUTTING BOARD HACCP 450X300

code	colour	mm	thickness (mm)	€
825518	White	450x300	13	10,75
825525	Red	450x300	13	10,75
825532	Blue	450x300	13	10,75
825549	Green	450x300	13	10,75
825556	Brown	450x300	13	10,75
825563	Yellow	450x300	13	10,75
825570	Purple	450x300	13	10,75

CUTTING BOARD HACCP

- Made of polyethylene HDPE 500.
- Meets HACCP standards.
- Both sides suitable for cutting.
- Can be cleaned in professional dishwashers (short program).



Side with groove

Smooth side



CUTTING BOARD HACCP GASTRONORM 1/1

– One side smooth and other side with groove.

code	colour	mm	thickness (mm)	€
826003	White	530x325	15	19,95
826010	Red	530x325	15	19,95
826027	Blue	530x325	15	19,95
826034	Green	530x325	15	19,95
826041	Brown	530x325	15	19,95
826058	Yellow	530x325	15	19,95
826065	Purple	530x325	15	19,95

CUTTING BOARD HACCP GASTRONORM 1/2

– One side smooth and other side with groove.

code	colour	mm	thickness (mm)	€
826102	White	265x325	12	9,25
826119	Red	265x325	12	9,25
826126	Blue	265x325	12	9,25
826133	Green	265x325	12	9,25
826140	Brown	265x325	12	9,25
826157	Yellow	265x325	12	9,25
826164	Purple	265x325	12	9,25

Groove to prevent leaking





CUTTING BOARD HACCP GASTRONORM 1/2

code	colour	mm	thickness (mm)	€
826706	White	265x325	9	6,95
826713	Red	265x325	9	6,95
826720	Blue	265x325	9	6,95
826737	Green	265x325	9	6,95
826744	Brown	265x325	9	6,95
826751	Yellow	265x325	9	5,95



HACCP CUTTING MAT SET - 6 PIECES

- Colour coded set of 6 mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.
- Lightweight and easy to store and transport.

code	mm	thickness (mm)	€
826331	300x200	1	7,95
826300	380x305	1	12,95



826300



CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.
- Both sides suitable for cutting.

code	colour	mm	thickness (mm)	€
826348	White	250x150	10	2,95
826355	White	300x200	10	4,75
826478	Black	250x150	10	2,95
826485	Black	300x200	10	4,75

826485



826348

CUTTING BOARD WOOD

506912



506905

CUTTING BOARD

- Rubberwood
- With handles

code	-	mm	€
506905	GN 1/1	530x325x(H)45	34,95
506912	GN 1/2	265x325x(H)45	18,95



505205

CARVING BOARD

- Solid beech wood
- Grooved

code	mm	thickness (mm)	€
505205	390x230	16	9,45



505106

CUTTING BOARD WITH GRIP

- Solid beech wood

code	mm	thickness (mm)	€
505106	390x160	13	5,95



505007

BREAD BOARD

- Solid beech wood



code	mm	thickness (mm)	€
505007	340x200	14	7,25



505502

BAGUETTE BOARD

- Wooden with removable grid

code	mm	thickness (mm)	€
505502	475x322	20	34,50



removable grid
- easy to clean

ANTI-SLIP MAT

- Multifunctional anti-slip mat.
- Made of PVC foam.
- Easy to cut to size.
- Wash by hand at 40°C.
- Not suitable for direct food contact.

code	mm	€
598047	1500x300x(H)	3,25




598047

KNIVES PROFI LINE



- All knives are precision hot drop forged from a single blank of high carbon German stainless steel. The specialized Chromium-Molybdenum-Vanadium surgical alloy steel X50CrMoV15 guarantees the following characteristics:
 - razor sharp
 - long-lasting cutting edge
 - easily restorable edge
 - high stain resistance
- Some 50 major manufacturing steps are required to produce each knife.
- Traditional skills and precision machinery continue the grinding and polishing operations until the final cutting edge is applied at the most appropriate blade angle.
- The handle combines balance, safety, heft and control with an exclusive look.
- Each knife is individually packed in a PET presentation blister.



COOK'S KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844205	3.3	250	385	32,95
844212	3.3	200	335	29,65

COOK'S KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844205	3.3	250	385	32,95
844212	3.3	200	335	29,65

UTILITY KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844250	2	150	265	22,25



CARVING KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844311	2.7	250	380	29,25



CARVING KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844304	2.6	200	330	27,50



BONING KNIFE

– Flexible

code	thickness (mm)	blade length (mm)	length (mm)	€
844267	2	150	270	22,95



PARING KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844236	1.9	90	195	14,65



KNIFE SHARPENER DIAMOND

– Diamond coating

code	blade length (mm)	length (mm)	€
844403	310	445	32,95



HAM/SALMON KNIFE

– Half flexible

code	thickness (mm)	blade length (mm)	length (mm)	€
844328	2.6	300	430	31,40



BREAD KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844298	2.4	215	340	27,50



BREAD KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844281	2.4	215	340	27,50



CLEAVER

code	thickness (mm)	blade length (mm)	length (mm)	€
844335	2.5	170	295	38,50



SANTOKU KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844274	3	180	310	29,95




CARVING FORK

code	thickness (mm)	blade length (mm)	length (mm)	€
844229	9	150	285	22,95



KNIVES KITCHEN LINE

- Made of one piece of hard, forged chrome molybdenum steel.
- Due to the highest quality of the workmanship, Hendi knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- A unique design of the handle prevents depositing of food residues in the handle/blade transition area.
- Each knife is individually packed in a PET presentation blister.
- With safe, profiled black POM plastic handle.



COOK'S KNIFE

code	blade length (mm)	length (mm)	€
781319	200	340	13,95



COOK'S KNIFE

code	blade length (mm)	length (mm)	€
781357	150	295	10,50



CARVING KNIFE

code	blade length (mm)	length (mm)	€
781340	200	330	9,95



BONING KNIFE

code	blade length (mm)	length (mm)	€
781371	150	285	8,75



BREAD KNIFE

code	blade length (mm)	length (mm)	€
781333	230	345	10,75



KITCHEN KNIFE

code	blade length (mm)	length (mm)	€
781388	125	240	5,95



PARING KNIFE

code	blade length (mm)	length (mm)	€
781395	90	200	5,95



POULTRY SHEARS

code	blade length (mm)	length (mm)	€
781401	140	250	11,95



CARVING FORK

code	blade length (mm)	length (mm)	€
781364	175	290	9,95



CLEAVER

code	blade length (mm)	length (mm)	€
781302	180	300	18,95



HAM/SALMON KNIFE

code	blade length (mm)	length (mm)	€
781326	215	380	10,50



KNIFE SHARPENER

code	blade length (mm)	length (mm)	€
781418	230	360	5,95

KNIFE MAGNET WITH HOOKS

– With 2 magnetic strips



code		length (mm)	€
820209	3 hooks	300	7,25
820308	5 hooks	450	9,25
820407	6 hooks	600	11,75



820209



820308



820407





9-PIECE KNIVES SET

- Made of one piece of hard, stainless steel 3CR14
- Handle made of stainless steel 430 with anti-slip rubber coating.
- Due to the highest quality of the workmanship, knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- With safe, profiled handle.
- Included:
 - 1 - Carving fork curved 320 mm
 - 2 - Knife sharpener 340 mm
 - 3 - Santoku knife 336 mm
 - 4 - Cook's knife 370 mm
 - 5 - Cook's knife 330 mm
 - 6 - Carving knife 331 mm
 - 7 - Bread knife 333 mm
 - 8 - Boning knife 285 mm
 - 9 - Paring knife 193 mm
 - 10 - Convenient carrying case

code	mm	€
975770	445x260x(H)65	78,50



Convenient carrying case.

JAPANESE KNIVES

- Top end series of drop forged knives
- Made of the high carbon steel alloy X50CrMoV15
- Produced in 50 major manufacturing steps

KNIFE ,SASHIMI'

code	thickness (mm)	blade length (mm)	length (mm)	€
845042	4	240	370	29,95
845059	4	210	340	28,95

KNIFE ,NAKIRI'

code	thickness (mm)	blade length (mm)	length (mm)	€
845028	4	180	325	31,50

KNIFE ,SANTOKU'

code	thickness (mm)	blade length (mm)	length (mm)	€
845035	2	165	295	20,95



845042



845059



845028



845035



- Traditional wooden handle
- Each knife is individually packed in a PET presentation blister.
- Limited edition, specially made for Hendi.

BLACK - UNIVERSAL

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.



Ergonomic non slip handle

UNIVERSAL KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
842201	1.2	90	190	3,45

UNIVERSAL KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
842102	1.2	100	205	3,25

CARVING KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
842409	2.5	150	280	4,70

COOK'S KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
842607	2.5	180	320	6,25

COOK'S KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
842706	2.5	240	385	7,45

HAM/SALMON KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
842904	1.7	350	490	9,95

BREAD KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
843000	1.5	250	385	5,75

BREAD KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
843109	1.5	300	430	5,75

BUTCHER'S KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844427	2.5	200	330	5,75

BUTCHER'S KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844410	2.5	250	380	6,95

BONING KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844441	1.8	150	280	4,65

FILLET KNIFE

code	thickness (mm)	blade length (mm)	length (mm)	€
844434	1.8	150	260	4,65

KNIFE SHARPENER

code	blade length (mm)	length (mm)	€
781418	230	360	5,95

Granton indentations for non-stick cutting

BROWN - COOKED MEAT

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.



code			blade/knife length (mm)	thickness (mm)	€
842669	1	Cook's knife	180/320	2,5	6,25
842799	2	Cook's knife	240/385	2,5	7,45
842966	3	Ham/salmon knife	350/490	1,7	9,95



Ergonomic
non slip handle



Granton indentations
for non-stick cutting



RED - RAW MEAT

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.

code			blade/knife length (mm)	thickness (mm)	€
842423	1	Carving knife	150/290	2,5	4,70
842522	2	Filleting knife	150/300	0,9	4,15
842621	3	Cook's knife	180/320	2,5	6,25
842720	4	Cook's knife	240/385	2,5	7,45
842928	5	Ham/salmon knife	350/490	1,7	9,95



Ergonomic
non slip handle



Granton indentations
for non-stick cutting



YELLOW - POULTRY

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.



code			blade/knife length (mm)	thickness (mm)	€
842539	1	Filleting knife	150/300	0,9	4,15
842638	2	Cook's knife	180/320	2,5	6,25
842737	3	Cook's knife	240/385	2,5	7,45



Ergonomic
non slip handle



1



2



3



BLUE - FISH

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.

code			blade/knife length (mm)	thickness (mm)	€
842546	1	Filleting knife	150/300	0,9	4,15
842645	2	Cook's knife	180/320	2,5	6,25
842744	3	Cook's knife	240/385	2,5	7,45



Ergonomic
non slip handle



1



2



3



WHITE - CHEESE & BREAD

- Polypropylene handle in accordance with HACCP guidelines.
- Each knife is individually packed in a PET blister.



code			blade/knife length (mm)	model	thickness (mm)	€
842256	1	Universal knife	90/190	short model	1,2	3,45
842355	2	Universal knife	130/230	long model	1,2	3,80
842553	3	Filleting knife	150/300		0,9	4,15
842652	4	Cook's knife	180/320		2,5	6,25
842751	5	Cook's knife	240/385		2,5	7,45
843055	6	Bread knife	250/385		1,5	5,75
843154	7	Bread knife	300/430		1,5	5,75



Ergonomic
non slip handle



Granton indentations
for non-stick cutting



GREEN - FRUITS & VEGETABLES

- Polypropylene handle in accordance with HACCP guidelines
- Each knife is individually packed in a PET blister

code			blade/knife length (mm)	model	thickness (mm)	€
842218	1	Universal knife	90/190	short model	1,2	3,45
842119	2	Universal knife	100/205	serrated	1,2	3,25
842317	3	Universal knife	130/230	long model	1,2	3,80
842614	4	Cook's knife	180/320		2,5	6,25
842713	5	Cook's knife	240/385		2,5	7,45



Ergonomic
non slip handle



Granton indentations
for non-stick cutting



PARING KNIVES, SET OF 6 COLOURS

– Polypropylene handle in accordance with HACCP guidelines.



PARING KNIVES

– Set with 6 different colours: white, red, blue, green, black and yellow
– Made of rolled steel

code	blade length (mm)	length (mm)	€
842003	75	175	13,95

842003



PARING KNIVES

– Set with 6 different colours: white, red, blue, green, black and yellow
– Made of rolled steel

code	blade length (mm)	length (mm)	€
842010	90	185	14,50

842010

PARING KNIFE

– „Made in Germany“



code	-	blade length (mm)	length (mm)	€
841105	straight model	75	180	2,50
841112	pointed model	87	190	2,50
841129	curved model	60	165	2,35

TOMATO KNIFE

– Polypropylene handle
– „Made in Germany“



code	blade length (mm)	length (mm)	€
841136	110	210	2,50



841105

841112

841129

841136

PARING KNIFE WITH WOODEN HANDLE

– „Made in Germany“



code	blade length (mm)	length (mm)	€
841020	60	165	2,95



841020

SPEED PEELER

– Transverse model.



code	blade length (mm)	length (mm)	€
841228	50	110	2,25

841228



PEELER

– Pendulum model



code	blade length (mm)	length (mm)	€
841235	50	150	2,25

841235





MINCING KNIFE



code	-	length (mm)	€
844359	single blade	230	11,75
844366	double blade	230	17,50



POULTRY SHEARS

- High carbon steel
- Softgrip

code	mm	€
856314	240	11,95



KITCHEN SCISSORS

- Detachable - easy to clean.
- Softgrip.

code	mm	€
856307	195	8,50



KITCHEN SCISSOR SOFTGRIP

- Detachable - easy to clean.
- With softgrip.

code	mm	€
856284	220	11,95



LEMON ZESTER

code	mm	€
856031	155	4,95



GRAPEFRUIT KNIFE

code	blade length (mm)	length (mm)	€
856185	110	215	7,25



VEGETABLE CORER

code	blade length (mm)	length (mm)	€
856086	110	220	4,95



CITRUS PEELER

code	mm	€
856055	180	4,95



MELON SCOOP OVAL

code	ø	length (mm)	€
856017	26	165	4,95



MELON SCOOP SERRATED

code	ø	length (mm)	€
856024	22	155	4,95



MELON SCOOP DOUBLE

code	-	length (mm)	€
856000	ø 22-25 mm	165	7,15



CHANNEL KNIFE

code	mm	€
856048	150	4,95



PIZZA SLICER

code	ø	length (mm)	€
617014	100	230	6,25



DOUGH CUTTER SERRATED BLADE

code	ø	length (mm)	€
856154	60	180	6,25



BUTTER CURLER
- Serrated

code	mm	€
856192	200	6,25



SPREADER - SERRATED

code	blade length (mm)	length (mm)	€
855768	95	225	4,75



POTATO PEELER

code	blade length (mm)	length (mm)	€
856178	65	175	4,95



DECORATION KNIFE

code	blade length (mm)	length (mm)	€
856062	90	200	6,25



TOMATO KNIFE OFFSET

code	blade length (mm)	length (mm)	€
856253	110	230	6,50



APPLE CORER

code	ø	length (mm)	€
856079	20	215	4,95





CHEESE SLICER

code	mm	€
856208	205	6,50



CHEESE SLICER FOR SOFT CHEESE

code	mm	€
856215	160	5,95



CHEESE GRATER

code	mm	€
856222	170	6,95



CHEESE KNIFE FOR SOFT CHEESE

code	blade length (mm)	length (mm)	€
856246	160	270	6,50



CHEESE KNIFE FOR HARD CHEESE

code	blade length (mm)	length (mm)	€
856239	130	260	6,50

GARNISHING TOOLS



856291



DECORATION TOOLSET - 6 PIECES

- Holdall with:
- Melon scoop double
 - Apple corer 20mm
 - Decoration knife
 - Melon scoop serated
 - Lemon zester
 - Channel knife

code	mm	€
856291	280x100x(H)50	42,50



6 knives
(max length 400 mm)

856383



KNIVES CARRYING CASE

- Briefcase model for 6 knives (max. length 400 mm).
- Knives are held in place by elastic bands.
- Case reinforced with plastic for a solid construction.
- Dimensions open (LxW): 450x400 mm.
- Knives not included.

code	mm	€
856383	450x70x(H)110	22,95



17 knives
(max length 450 mm)

856390



KNIVES CARRYING CASE

- Compact case with a total of 17 slots.
- Fits 4 knives with a maximum length of 450 mm and 13 smaller tools.
- Divider reinforced with plastic.
- Knives and tools are held in place by elastic bands.
- Dimensions unfolded: 500x510 mm.
- With shoulder strap.

code	mm	€
856390	500x120x(H)225	47,50



10 knives
(max length 450 mm)

856277



KNIVES CARRYING CASE

- Compact case with plenty of room for knives and accessories.
- Space for 10 knives (max length 450 mm), knives are held in place by elastic.
- The knives are protected by additional covers which are held in place by either a zipper or velcro, this ensures that knives don't make direct contact when the case is folded to a close.
- With 1 big pocket for note pads, 4 small pockets for business cards and space for 3 pens or other small accessories.
- The shoulder strap length can be adjusted between 770mm and 1270 mm.
- Dimensions unfolded: 515x675 mm Knives not included.

code	mm	€
856277	510x50x(H)170	39,95



556641



CUT RESISTANT GLOVES

- Offers protection for handling sharp blades in the professional kitchen, like kitchen knives.
- The mix of HPPE, polyester fibres and nylon makes these gloves durable and comfortable.
- Level 4 cut resistance.
- Level 3 abrasion resistance.

code	packed per	€
556641	2	14,25



556665



OYSTER GLOVE

- Consists of 2 gloves, a cotton inner glove and the stainless steel chain mail outer glove.

code	-	length (mm)	€
556665	Medium	280	30,95
556672	Large	300	31,95



781913



OYSTER KNIFE ROUND

code	mm	€
781913	170	5,95



781920



OYSTER KNIFE STRAIGHT

code	mm	€
781920	160	2,95



844458



OYSTER KNIFE LONG

code	mm	€
844458	215	3,95

ABS
plastic



see movie



KNIFE SHARPENER

- Suitable for quick and easy sharpening of knives
- Sand paper easy to change
- Suitable for all sorts of meat, fish, vegetable and fruit knives

code	V	W	mm	€
224403	230	50	310x110x(H)110	178,50
224410	Sand paper		200x50	5,50



224403



820605



see movie

PP
polypropylene

The sharpening elements made of tungsten carbide, one of the toughest materials available.

KNIFE SHARPENER

- With finger protection.
- Reversible double sharpening blades made of carbide.

code	mm	€
820605	140	14,95



ABS
plastic



820612

KNIFE SHARPENER

- Ergonomic handle and non-slip base provide safety and comfort.
- 3 functions for sharpening all kinds of knives, even ceramic knives.
- Do not use to sharpen serrated blades or scissors.

code	mm	€
820612	200x46x(H)75	10,95

CERAMIC:
crossed
electroplated
rods for ceramic
knives.

COARSE:
carbide
sharpener for
a precision edge
every time.

FINE: crossed
ceramic rods
for professional
grade edge
honing.






POTATO MASHERS

– Heavy duty solid model.

code	mm	€
693254	ø118x(H)306	16,75
693261	ø118x(H)456	16,95



POTATO MASHERS

– Heavy duty solid model.

code	mm	€
693216	200x130x(H)610	19,75
693223	200x130x(H)810	22,95



POTATO MASHER

code	mm	€
856147	ø95x(H)230	7,25

856147



POTATO RICER

code	mm	€
515105	300x110	35,95

515105



693209



693100



693001



POTATO MASHERS

– Heavy duty solid model.

code	mm	€
693001	130x85x(H)355	27,95
693100	180x85x(H)600	29,95
693209	180x85x(H)770	34,95



690000

CAN OPENER KITCHEN LINE

- Including table mounting device
- Suitable for cans up to 335 mm



code	mm	€
690000	550	82,50



856116



CAN OPENER

code	mm	€
856116	180	7,75



SAFE CAN OPENER

- This safe can opener removes the lid without leaving sharp edges and provides the possibility to place the lid back on the can.
- The cutting mechanism operates by cutting the side of the can just below the lid.

code	mm	€
856161	190	9,95



856161



TAB GRABBER

- Glossy aluminium
- Mounting by screws or by adhesive

code	mm	€
513712	915	18,95
513705	600	13,95



513705



570715

GARLIC PRESS

code	mm	€
570715	175x30	8,95



856123

GARLIC PRESS

- Easy to clean
- Two removable grids

code	mm	€
856123	180x25	9,25



570104

**EGG SLICER - RECTANGULAR**

code	mm	€
570104	130x85x(H)30	8,75



570012

**EGG SLICER - OVAL**

code	mm	€
570012	120x115x(H)35	8,75

**SALAD SPINNER**

Removable inner basket



222560

**SALAD SPINNER**

- Ideal for drying large amounts of vegetables and fruits after washing.
- With an easy to use water draining system.
- Removable inner basket.
- Not available in France.

code	liters	mm	€
222553	12	ø335x(H)430	112,50
222560	25	ø430x(H)530	149,50

570906

**ONION GOGGLES**

- Wear the goggles during the cutting of onions to prevent teary eyes.

code	mm	€
570906	150x160x(H)45	10,25





856352



856369



856376

Extremely sharp,
laser cut rasps



856321



856338



856345

RASPS

- Laser cut blades, high precision and extremely sharp.

code	-	blade length (mm)	mm	€
856352	Fine	220	35x390	12,50
856369	Coarse	220	35x390	12,50
856376	Ribbon	220	35x390	12,50

RASPS

- Laser cut blades, high precision and extremely sharp.

code	-	blade length (mm)	mm	€
856321	Coarse	135	65x315	9,95
856338	Ribbon	135	65x315	10,25
856345	Shaver	135	65x315	10,25



443002

GRATER, FOUR-SIDED

code	mm	€
443002	90x65x(H)200	7,50

VEGETABLE CUTTER V-TYPE DOUBLE BLADED

- Made of stainless steel and black ABS.
- V-shaped main slicing blade, crinkled secondary slicing blade.
- Easy to adjust the slicing thickness of both blades.
- Foldable stand with rubber feet.
- Comes with two extra blades for julienne or french fries, 6 or 9 mm wide.
- Storage box included to safely store the blades.
- Polypropylene product holder with metal pins.

code	mm	€
222676	530x165x(H)203	49,50



VEGETABLE CUTTER V-TYPE

- Made of hard black PP and ABS
- Including 5 high quality stainless steel blades
- Foldable stand with rubber feet V-shaped main cutting blade
- Blades for julienne or french fries, 6 or 9 mm wide
- Adjustable slice thickness from 1-9 mm
- Product holder with metal pins
- Height 140 mm (with raised support)

code	mm	€
222614	130x335x(H)75	26,95



V-shaped cutting blade for fast slicing



VEGETABLE CUTTER

- 2 blades for slicing (1 crinkle blade) and 3 blades for jullienne (5, 7, 10 mm).
- Sliding product holder and storage box for blades.
- With non-slip stand.

code	mm	€
222652	395x125x(H)200	52,50



Comes complete with product holder, 5 blades and blade storage box





570159



TOMATO SLICER

- Only for cutting tomato or soft vegetables/fruits.
- Slice thickness ± 5 mm.
- Easy to clean.
- With suction cup feet.
- Screw tightening tools such as Hex socket wrench not included.


code	mm	€
570159	432x202x(H)210	139,50

Fitted with hand protection



With suction cup feet





630402

Special mounting plate allows easy removal and cleaning



FRENCH FRIES CUTTER

- Knives made of stainless steel.
- Comes with 4 blades: 6, 9 and 13 mm, as well as a knife for 8 parts.
- Mountable to working table or wall.
- Handle covered by plastic for easier pressing.
- Stainless steel mounting plate allows easy removal and cleaning.
- With rubber feet to hold firmly when using on table.

code	mm	€
630402	430x168x(H)290	152,50



With suction cup feet



630419

FRIES KNIFE 11 MM FOR FRENCH FRIES CUTTER

- Fits Hendi French fries cutter 630402.
- Comes with pressing plate.

code	€
630419	12,75



POLYETHYLENE BUTCHER BLOCK

– Made of polyethylene HDPE500.

– Reinforced frame made of stainless steel.



code	-	mm	€
505656	block	500x400x(H)50	147,50
505663	block	500x400x(H)80	222,50
505670	stand	500x400x(H)750	162,50
505687	set	500x400x(H)800	385,00



513538

BUTCHER'S HOOK - SET OF 4



code	mm	€
513538	90x4	3,50
513545	110x5	4,25
513552	130x5	4,50
513569	150x6	5,95



559208

ROULADE STRING

– Spool with 100g of string

– Made of unbleached cotton

code	-	packed per	€
559208	70m	1	3,75
559222	140m	1	6,95



559239

ROULADE STRING

– Spool with 200g of string

– Made of T/C cotton, a cotton polyester blend.

– About 132 m

code	packed per	€
559239	1	5,50

MEAT TENDERIZERS



MEAT TENDERIZING HAMMER

- Firm grip
- Spiked surface for pork and beef
- Plain surface for fish and poultry

code	mm	€
513002	220	9,75

MEAT TENDERIZER PROFI LINE

- Modern and effective tool for meat improvement, the interspaced vertical blades reduce the length of meat fibers.
- Perfectly tenderizes meat by softening the tissue and flattening meat at the same time.
- Marinating time can be reduced by up to 25%, because the surface area of the meat is significantly increased.
- During frying, the subtle perforation will allow sauces poured over the meat to penetrate.
- Soft springs, easier use, better result.

code	-	mm	€
843451	51 blades	150x42x(H)118	24,95



Specially designed grip



see movie

843451

51 stainless steel blades for cutting meat

Wave-shaped tabs on the bottom for flattening meat





630808

CHIPS COLANDER STAINLESS STEEL

- Completely made of stainless steel
- With stainless steel handle
- With removable bottom tray



code	mm	€
630808	ø410x(H)170	37,95



630006

CHIPS COLANDER ALUMINIUM

- Fixed bottom and removable strainer



code	mm	€
630006	ø400x(H)170	24,95



630716

SAUSAGE CUTTER



code	mm	€
630716	200	12,95

630136



630235



SALT AND PEPPER SHAKER

– With screw cap



code	-	mm	€
630136	Salt shaker	ø80x(H)175	8,95
630235	Pepper shaker	ø63x(H)100	3,95

630105



630204



SALT AND PEPPER SHAKER

– With screw cap



code	-	mm	€
630105	Salt shaker	ø80x(H)195	7,95
630204	Pepper shaker	ø65x(H)105	3,25



632802



GREASE FILTER FOR DEEP FRYER

– Made of rayon (synthetic silk).

code	packed per	mm	€
632802	50	254x254	16,95



632901

GREASE FILTER HOLDER FOR DEEP FRYER



code	mm	€
632901	ø250x(H)200	9,95



196007

BUCKET


– With lid
– Suitable as fat storage bucket



code	liters	mm	€
196007	11.5	ø290x(H)220	4,95

CHIP SCOOPS & SHOVELS

mesh size
7,5x7,5 mm



CHIP SCOOP

- Made of stainless steel with PA handle
- With extra deep scoop

code	mm	€
640913	ø240x600	24,95
640920	ø260x600	25,95



640920


640913



640104

640203

mesh size
5x5 mm



CHIP SCOOP

- With wire handle



code	mm	€
640104	ø100x330	6,95
640203	ø125x420	7,95



640807

640708


640609

CHIP SCOOP

- With reinforced wire handle




code	mm	€
640401	ø160x450	14,25
640500	ø180x470	15,95
640609	ø200x510	16,50
640708	ø220x540	17,95
640807	ø240x550	19,95



mesh size
5x5 mm

Full range of the deep
fryers on page 172-176






642504

CHIPS SHOVEL

- With 150 mm long wire handle



code	mm	€
642504	210x160	23,25



642603

CHIPS SHOVEL

- With 225 mm long wire handle
- Double mesh



code	mm	€
642603	225x175	22,25



642566

FRENCH FRIES FUNNEL SCOOP

- Fill opening 70 mm
- Left and right handed



code	mm	€
642566	205x233	9,75



642559

FRENCH FRIES FUNNEL SCOOP

- With detachable handles
- Fill opening 75 mm
- Left and right handed



code	mm	€
642559	230x200	12,50



646205

646304

FAT SKIMMER - FINE MESH

- With wire handle



code	mm	€
646205	ø125x350	10,25
646304	ø150x430	11,25



646601

BIRD'S NEST SHAPED STRAINER

- With wire handle and fastening clip



code	mm	€
646601	ø100x395	10,95



Graduated



516676



516683



516706



516720

BUCKET WITH REINFORCED BASE

– Graduated



code	liters	mm	€
516676	7	ø230x(H)245	35,95
516683	10	ø280x(H)270	40,95
516706	12	ø300x(H)310	48,95
516720	15	ø305x(H)330	52,50



Wide, reinforced base for stability and hygiene



516713

LID FOR BUCKET WITH REINFORCED BASE



code	-	mm	€
516690	516683	ø280x (H)25	11,75
516713	516706	ø300x (H)25	12,50
516737	516720	ø305x (H)25	15,95



516744



BUCKET

code	liters	mm	€
516744	12	ø310x(H)300	29,95



556719



CLOTH STRAINER

– 100% Cotton.
– Washable up to 95°C.

code	mm	€
556719	700x700	13,75



518700

FUNNEL



code	mm	€
518700	ø120x(H)115	7,50



462904

OIL JUG

- With semi-hinged lid



code	liters	mm	€
462904	0.3	ø70x(H)115	5,75



624302

WATER KETTLE - WITH LID



code	liters	mm	€
624302	6	ø245x(H)290	35,95



567616

FUNNEL



code	mm	€
567616	ø100x(H)130	0,95
567630	ø127x(H)170	1,35
567654	ø150x(H)200	2,25



209998



ELECTRIC KETTLE - 4,2 L

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on. Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.

code	liters	V	W	mm	€
209998	4.2	230	2000	340x234x(H)290	42,50



209981



External water level indicator

ELECTRIC KETTLE - 1,8 L

- Housing and heating element made of 304 stainless steel.
- Handle, lid and base made of polypropylene.
- 360-degree swivel base.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.
- Indicator light informs that the heater is on.
- External water level indicator. Internal maximum water level indicator.
- Automatic switch-off after boiling.
- Double dry-boil protection.
- Only suitable for boiling water, boiling other liquids will damage the appliance.

code	liters	V	W	mm	€
209981	1.8	230	1800	221x163x(H)249	23,95



171127

171028



SERVING TONGS

code	mm	€
171028	240	6,95
171127	300	8,95



171516

171417



SERVING TONGS CURVED

code	mm	€
171417	240	5,95
171516	300	7,40



171318

171325

171301

SERVING TONGS

- With heat resistant silicone tongs
- Soft-grip with lock



code	mm	€
171301	267	5,75
171318	345	6,75
171325	400	7,95





Solid design

SALAD TONGS

- With fastening clip.
- Solid design.



code	mm	€
171707	250	3,25
171806	300	4,50
171905	400	5,50



SERVING TONGS

- Handle covered with coloured PVC.



code	colour	length (mm)	€
171837	Red	250	3,95
171844	Blue	250	3,95
171875	Green	250	3,95
171882	Purple	250	3,95
171899	Yellow	250	3,95
171752	Black	250	3,95

SERVING TONGS

- Handle covered with coloured PVC.



code	colour	length (mm)	€
171851	Black	300	4,50
171721	Red	300	4,50
171738	Blue	300	4,50
171745	Green	300	4,50
171783	Purple	300	4,50
171790	Yellow	300	4,50

TWEEZERS



680025

MULTIPURPOSE TWEEZERS

– Suitable for e.g. turning deep frying products.

code	mm	€
680018	300	5,25
680025	230	4,50
680032	215	3,75
680049	160	3,15



680131

MULTIPURPOSE TWEEZER COATED

– With, by means of PVD applied, black coating.
– High quality and lasting.

code	mm	€
680131	300	6,95



680063



TWEEZERS, CURVED

code	mm	€
680056	305	5,75
680063	240	4,75
680070	160	3,50





TWEEZER WITH ROUND HEAD

code	mm	€
680124	150	4,50



680124



SUSHI TWEEZERS

code	mm	€
680087	210	3,85
680094	160	3,65



680087



680117

680100



FISH BONE TWEEZERS

code	mm	€
680100	130	4,50
680117	120	2,65



524008

UNIVERSAL TONGS

- With fastening clip.
- Detachable.



code	mm	€
524008	280	7,75



524039

UNIVERSAL TONGS WITH TEFLON COATING

- With fastening clip.

code	mm	€
524039	280	7,95

GRIDDLE SCRAPERS



SCRAPER

– With wooden handle.



code	blade length (mm)	mm	€
855119	118	100x251	4,65



SCRAPER


code	blade length (mm)	mm	€
855713	108	80x251	6,25

TURNERS



HAMBURGER TURNER

– With wooden handle



code	blade length (mm)	mm	€
855508	280	75x120	6,50
855607	150	150x305	8,25



HAMBURGER TURNER



code	blade length (mm)	mm	€
855652	140	105x308	10,50
855676	100	76x270	8,25



TURNER FLEXIBLE



code	thickness (mm)	mm	€
855669	1.2	95x325	8,25
855737	1	73x360	7,50



TURNER FLEXIBLE, PERFORATED



code	thickness (mm)	mm	€
855720	1	73x370	7,50



SPATULA

- For confectionery substances
- Smooth flexible blade

code	blade length (mm)	mm	€
855690	200	34x325	6,25
855706	110	17x215	5,25
855744	250	39x375	7,65



PALETTE KNIFE

- With flexible offset blade.

code	blade length (mm)	mm	€
855683	254	37x370	8,50
855775	110	19x220	5,25
855782	200	32x300	6,25



659205



659304




659403

SCRAPER

– ABS handle

– Blade made of synthetic rubber



code	blade length (mm)	mm	€
659205	90	52x257	2,45
659304	116	70x358	3,80
659403	116	70x410	4,85



659014



659007



659106

SCRAPER

– ABS handle.

– Silicone blade.



code	blade length (mm)	mm	€
659007	105	70x350	7,50
659014	90	55x265	5,40
659106	105	70x420	8,65

Spoon shaped
blade



658604



658703



658802



658901

SCRAPER

– Handle made of glass-fiber reinforced nylon.

– Blade made of natural rubber.

– Only suitable for cold food preparation.



code	blade length (mm)	mm	€
658604	90	55x250	4,50
658703	90	55x320	8,25
658802	90	55x420	9,75
658901	150	100x520	16,95



659458



659465




659472

SCRAPER SPOON SHAPED

– ABS handle.

– Blade made of synthetic rubber.



code	blade length (mm)	mm	€
659458	88	57x254	3,50
659465	117	75x357	4,85
659472	117	75x408	5,95



KITCHEN SPOON PBT

code	mm	€
563007	380x70	4,45
563106	450x80	6,25
563205	600x105	9,95



563007



563106



563205



659700



659809



525005



SPOON EXOGLASS

– Made of Exoglass material



code	mm	€
659700	300	7,25
659809	380	9,95

WOODEN SPOON

– Made of wood.

– Set of 3 different sizes, L 300/350/400.

code	mm	€
525005	400	3,95



525142




658000

SPATULA

– Wood

code	packed per	length (mm)	€
525142	4	300	4,75

SPATULA



code	mm	€
658000	280	4,30




659601



659502

SPATULA




code	mm	€
659601	320	9,75

SPATULA

– Slotted

– Made of exoglass plastic



code	mm	€
659502	300	9,65

LADLES & SKIMMERS PROFI LINE

- Professional, seamless one piece, in accordance with HACCP standards
- Heavy-duty stainless steel
- Thickness 2,7 mm



LADLE NON-DRIP

- With non-drip pouring rim.

code	liters	mm	€
540107	0.05	ø60x320	5,95
540305	0.125	ø80x390	8,50
540404	0.25	ø100x430	9,75
540503	0.35	ø120x470	13,25
540602	0.75	ø145x440	15,95
540701	1	ø165x480	18,95



Seamless, made out of one piece.

Non-drip pouring rim.



SKIMMER

code	mm	€
541104	ø80x390	4,95
541203	ø100x400	5,75
541302	ø120x460	6,95
541500	ø160x530	11,95



BASTING SPOON

code	mm	€
542606	430x100	10,25

VEGETABLE SPOON

code	mm	€
542507	480x65	10,25

CARVING FORK

code	mm	€
542705	350	6,95

SPATULA

code	mm	€
542200	510x100	11,75



LADLES & SKIMMERS KITCHEN LINE

- Seamless, one piece
- In accordance with HACCP standard



LADLE

code	liters	mm	€
527108	0.05	ø60x300	3,35
527207	0.18	ø90x360	3,75
527306	0.21	ø100x380	4,75

SKIMMER

code	mm	€
528105	ø90x370	3,35
528204	ø115x430	4,25

SLOTTED SPATULA

code	mm	€
526118	340	3,75

SPATULA

code	mm	€
526101	340	3,75

CARVING FORK

code	mm	€
526200	350x35	3,75

VEGETABLE SPOON

code	mm	€
526309	325	3,35

WHISKS



FRENCH WHISK

- 8 heavy stiff wires, with eyelet.
- Wire thickness: 2,2 mm.

code	mm	€
510001	250	6,50
510100	300	6,75
510209	350	7,75
510308	400	8,50
510407	450	9,25
511503	500	10,95
511701	600	12,75



FRENCH WHISK WITH PP HANDLE

- 8 heavy stiff wires, with eyelet.
- Wire thickness: 2 mm.

code	mm	€
509005	250	5,50
509012	230	4,50
509104	300	6,95
509203	350	7,75
509302	400	7,95
509401	450	8,75



DRESSING- AND PANWHISK



code	mm	€
856109	160	6,75



Very flexible

Wire thickness:
1,4 mm

PIANO WHISK

- 7 flexible piano wires, with eyelet.
- Wire thickness: 1,4 mm.



code	mm	€
532003	200	3,25
532102	250	3,75
532201	300	4,25
532300	350	4,75



Very flexible

Wire thickness:
1,4 mm

PIANO WHISK

- 12 flexible piano wires.
- Stainless steel handle with eyelet.



code	mm	€
511718	250	3,85
511725	300	4,45
511732	350	4,95
511749	400	5,45
511756	450	6,25



Very flexible

PIANO WHISK

- 12 flexible piano wires.
- Polypropylene handle with eyelet.
- Wire thickness: 1,4 mm.



code	mm	€
509418	230	4,35
509425	250	4,95
509432	300	5,50
509449	350	6,75
509456	400	7,95
509463	450	8,95



Wire thickness:
1,4 mm

BOWLS



MIXING BOWL - WITH ROUNDED BASE

code	liters	mm	€
517109	0.7	ø158x(H)55	1,95
517208	1.4	ø197x(H)68	2,45
517307	2.3	ø240x(H)88	3,85
517406	3.3	ø259x(H)92	4,45
517604	4.9	ø300x(H)118	5,35

KITCHEN BOWL


code	liters	mm	€
530108	0.8	ø160x(H)63	2,95
530207	1.3	ø205x(H)70	3,75
530306	1.6	ø225x(H)83	4,75
530405	2.3	ø250x(H)84	4,95
530504	3.1	ø280x(H)99	7,25
530603	5	ø315x(H)108	9,95
530702	6	ø345x(H)118	11,95

CONICAL STRAINER

mesh size
0,5x0,5 mm



mesh size
0,5x0,5 mm



CONICAL STRAINER, WIRE MESH

- Fine wire mesh with wire handle

code	mm	€
647509	ø180x395	12,25
647516	ø160x355	10,25



CONICAL STRAINER, HALF WIRE MESH

- Fine wire mesh

code	mm	€
647554	ø205x460	23,50
647561	ø245x475	28,75

556719



547502

**CONICAL STRAINER**

code	mm	€
547304	ø185x350	16,50
547502	ø235x395	18,50

547502

547304



515501


**VEGETABLE STRAINER**

– Perfect for preparation of cream soups and tomato sauces.
Including 2 straining discs (ø140mm), coarse and fine.

code	mm	€
515501	400x215x(H)175	49,95



Fitted with
2 scraping wires
on the bottom



mesh size
1x1 mm




SIEVE

– With wire handle



code	mm	€
635001	ø120x280	1,75
635155	ø160x320	2,50
635209	ø180x340	3,15
635308	ø200x360	3,50
635407	ø230x400	4,85
635605	ø250x435	6,05



mesh size
4x4 mm/1,5x1,5 mm



SIEVE, DOUBLE MESH

– Wooden handle

– Reinforcing bracket



code	mm	€
639009	ø260x570	17,95
639016	ø310x800	20,95
639023	ø360x860	24,50



mesh size
0,5x0,5 mm




SIEVE - FINE MESH

– With wire handle



code	mm	€
638309	ø100x250	5,25
638507	ø150x345	9,35
638705	ø200x400	16,75
638903	ø250x455	22,95



mesh size
1x1 mm



SIEVE

– With wire handle



code	mm	€
637104	ø160x305	5,25
637203	ø180x325	5,95
637302	ø200x360	7,25
637401	ø220x380	8,75
637500	ø240x410	10,25
637609	ø260x440	11,50



COLANDERS



COLANDER PROFI LINE

– With base and 2 riveted handles

code	mm	€
535509	ø325x(H)175	39,50
535516	ø365x(H)185	44,50
535523	ø415x(H)210	54,50



535516



535417

COLANDER PERFORATED

– With base and 2 handles.



code	mm	€
535295	ø160x(H)65	5,75
535400	ø235x(H)85	8,95
535417	ø285x(H)115	15,00
535424	ø315x(H)120	15,95



535271

COLANDER SQUARE PERFORATED

– Square model, with base and 2 handles.



code	mm	€
535271	169x169x(H)55	9,75
535288	218x218x(H)70	10,95



535202

COLANDER KITCHEN LINE

– With base and 2 handles



code	mm	€
535103	ø240x(H)110	4,95
535202	ø280x(H)135	7,25
535301	ø340x(H)160	9,75



535448

COLANDER PERFORATED

– With base and 2 handles.



code	mm	€
535431	ø180x(H)90	10,95
535448	ø220x(H)110	15,95
535455	ø260x(H)140	20,95

MEASURING JUG



567104

567302

567500

MEASURING JUG POLYPROPYLENE



code	liters	mm	€
567104	0.5	ø90x(H)140	2,50
567203	1	ø110x(H)170	4,25
567302	2	ø140x(H)215	6,75
567401	3	ø160x(H)240	8,95
567500	5	ø190x(H)270	13,95



567814

567821

567838

567852

MEASURING JUG STACKABLE



- Scale embossed in the side of the jug.
- Shape of the handle allows multiple jugs to be stacked.

code	liters	mm	€
567821	1	ø124x(H)170	2,85
567838	2	ø160x(H)205	4,25
567845	3	ø181x(H)233	5,75
567852	5	ø210x(H)270	8,25
567814	0.5	ø95x(H)136	1,75



516102

516201

516300

MEASURING JUG STAINLESS STEEL



- Heavy duty.

code	liters	mm	€
516102	0.5	ø90x(H)110	12,75
516201	1	ø120x(H)135	17,25
516300	2	ø140x(H)175	27,95

SCOOPS



521304

521502



562000

562017

562079

SCOOP ALUMINIUM



code	liters	mm	€
521205	0.125	180	3,10
521304	0.2	205	3,40
521403	0.3	245	4,85
521502	0.5	265	6,95
521601	0.65	310	7,75
521809	2	390	17,50

SCOOP POLYPROPYLENE



code	liters	mm	€
562000	0.125	187	1,55
562017	0.25	250	2,65
562079	0.65	330	5,75

SCALES



580233



580226



580004



KITCHEN SCALE 15 KG

- Weighs up to 15.000g with gradation of 1g with a minimum of 2g.
- Seamless stainless steel surface, housing made of HIPS plastic with integrated display.
- High precision strain gauge sensor for accurate measurements.
- Readout in grams.
- Touch control with on-off and tare buttons.
- With auto tare, overload and low power indication.
- Auto power off
- Powered by 3 AAA batteries (not included).

code	max. kg	mm	€
580233	15	266x269x(H)34	28,95



KITCHEN SCALE

- Weighs up to 5.000g with gradation of 1g with a minimum of 20g.
- Seamless stainless steel surface with built-in digital display.
- High precision strain gauge sensor for accurate measurements.
- Readout in g, kg, oz or lb'oz. Touch control with on-off/tare and unit buttons.
- With auto tare, overload and low power indication.
- Auto power off, powered by 2 CR2032 Lithium batteries, included.

code	max. kg	mm	€
580226	5	200x151x(H)11	25,95



DIGITAL SCALE

- Weighs up to 5000g with gradation of 1g.
- With integrated timer ABS housing with stainless steel tray
- Powered by 9V alkaline battery, not included

code	max. kg	mm	€
580004	5	170x215x(H)55	45,00



580301



LARGE DIGITAL SCALE

- Capacity max. 100kg (220lb)
- Graduation 50g (2oz)
- Readout in kg or lb
- Strain gauge technology for accurate measurement
- Stainless steel surface
- Operation through separate digital display with 4 buttons
- With power saving LCD display with battery indicator
- Powered by 2 AAA batteries, included

code	max. kg	mm	€
580301	100	300x255x(H)42	102,50



Thermometers



	Infrared thermometer	Infrared thermometer with probe	Shock proof thermometer with probe	Fast response thermometer
Code	271148	271254	271407	271230
Unit	°C / °F	°C / °F	°C / °F	°C / °F
Reaction time	quick	quick	medium	quick
Temperature min.	-32°C	-60°C	-50°C	-50°C
Temperature max.	400°C	350°C	300°C	350°C
Accuracy	± 1,5°C	± 1°C	± 1°C	± 0,8°C
Gradation	0,1°C	0,2°C	0,1°C	0,1°C
Hold function	✓		✓	✓
Probe length			213 mm	130 mm
Probe material		stainless steel	stainless steel	stainless steel
Suitable for use in the oven				
Waterproof			splash proof	✓
Auto off	✓	✓	✓	✓
Battery included	✓	✓	✓	✓
Additional information	Distance and spot size ratio 12:1 Laser pointer for accurate measurement target.	Distance and spot size ratio 8:1	Min / Max temperature function. With table stand, including protection case.	IP65 waterproof. With probe cover.





Thermometer with foldable probe	Pocket thermometer with probe	Waterproof thermometer	Roasting thermometer/timer
271308	271209	271162	271346
°C / °F	°C / °F	°C / °F	°C
medium	medium	medium	slowly
-50°C	-40°C	-50°C	0°C
300°C	200°C	300°C	300°C
± 1°C	± 1°C	± 1°C	± 1°C
0,1°C	0,1°C	0,1°C	1°C
✓	✓	✓	✓
110 mm	65 mm	120 mm	150 mm
stainless steel	stainless steel	stainless steel	stainless steel
			only probe
		✓	
✓	✓	✓	✓
✓	✓	✓	✓
Min / Max temperature function.	With probe cover.	Measures temperature in one second. With cover and ergonomic handle.	With timer function. With temperature alert setting.



	Oven thermometer	Refrigerator thermometer	Pocket thermometer	Steak thermometer	Refrigerator thermometer	Refrigerator thermometer	Refrigerator thermometer	Milk frothing thermometer
Code	271179	271186	271216	271339	271261	271117	271124	271247
Unit	°C	°C	°C	°C	°C	°C	°C	°C
Reaction time	slowly	slowly	medium	slowly	slowly	slowly	slowly	slowly
Temperature min.	50°C	-50°C	0°C		-40°C	-40°C	-50°C	-10°C
Temperature max.	300°C	25°C	100°C		0°C	40°C	50°C	110°C
Gradation	10°C	10°C	1°C		1°C	1°C	1°C	1°C
Probe length			127 mm	50 mm				140 mm
Probe material			stainless steel	stainless steel				stainless steel
Suitable for use in the furnace	✓			✓				
Additional information	With special hook and support. Easy to read.	With special hook and support. Easy to read.	Probe cover with clip.	With indication rare-medium-well done.	Fitted with hook to hang from	Fitted with hook to hang from	Fitted with hook to hang from	With clip to fasten the thermometer to the milk jug



271148

INFRARED THERMOMETER

- Laser pointer for accurate target aiming.
- Measuring range -32°C to 400°C.
- Gradation 0,1°C, accuracy $\pm 1,5^\circ\text{C}/\pm 1,5\%$.
- Distance spot ratio 12:1.
- Lock mode for continuous temperature monitoring.
- Turns off automatically.
- Battery included.

code	range	mm	€
271148	-32/400°C	37x70x(H)150	52,50



271254



INFRARED THERMOMETER WITH PROBE

- Temperature scan by infrared or foldable probe. HACCP check lights provide instant recognition of safe/unsafe temperatures.
- With foldable 96 mm long stainless steel probe.
- Measuring range -60°C to 350°C.
- Gradation 0,2°C.
- Infrared accuracy: -60/65°C $\pm 1^\circ\text{C}$, 65/350°C $\pm 1,5\%$.
- Probe accuracy: -60/-5°C $\pm 1^\circ\text{C}$, -5/65°C $\pm 0,5^\circ\text{C}$, 65/350°C $\pm 1\%$.
- Distance spot ratio (D:S) 8:1.
- Auto power off after 15 seconds.
- Battery: 2xAAA (included).

code	range	mm	€
271254	-60/350°C	39x53x(H)158	92,50



271162

WATERPROOF THERMOMETER

- Waterproof.
- Temperature range -50°C to 300°C.
- Gradation 0,1°C between -19,9°C and 199,9°C, for other temperature ranges 1°C.
- Accuracy 1°C between -20°C and 100°C, for other temperature ranges $\pm 2^\circ\text{C}$.
- Lock mode - for continuous monitoring of temperatures.
- 120 mm stainless steel probe.
- Measures temperature in one second.
- With cover and ergonomic handle.
- Turns off automatically after 10 minutes.
- Battery included.

code	range	mm	€
271162	-50/300°C	290x48x(H)40	14,25



271209

POCKET THERMOMETER WITH PROBE

- Temperature range -40°C to 200°C.
- Unit of measurement °C or °F.
- Gradation 1°C.
- Accuracy $\pm 2^\circ\text{C}$.
- Hold function - saves momentary temperature.
- 65 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

code	range	mm	€
271209	-40/200°C	150x20x(H)15	14,95



271308

THERMOMETER WITH FOLDABLE PROBE

- Temperature range from -50° to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°C, accuracy 1°C between 0° and 100°C.
- Lock mode - for continuous monitoring of temperatures.
- Min/max temperature function.
- With foldable 110 mm long stainless steel probe.
- Turns off automatically after 60 minutes.
- Battery included.

code	range	mm	€
271308	-50/300°C	160x40x(H)25	23,95



Provides fast and accurate temperature reading

271230



FAST RESPONSE THERMOMETER

- Provides fast and accurate temperature readings. IP65 waterproof.
- Measuring range -50°C to 350°C, unit of measurement °C or °F.
- Gradation 0,1°C, accuracy $\pm 0,8\%/0,8^\circ\text{C}$.
- Hold function - saves momentary temperature.
- 130 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

code	range	mm	€
271230	-50/350°C	204x42x(H)20	52,50



271346

ROASTING THERMOMETER/TIMER

- With timer function.
- Temperature range from -50°C to 250°C.
- Unit of measurement °C or °F.
- Gradation 1°C.
- Lock mode - for continuous monitoring of temperatures.
- Min/max temperature function.
- Temperature alert setting. 150 mm stainless steel probe suitable for the oven (heat resistant).
- Battery included.

code	range	mm	€
271346	-50/250°C	65x70x(H)17	12,95



271407

SHOCK PROOF THERMOMETER WITH PROBE

- Splash proof.
- Temperature range -50°C to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°, accuracy 1°C between -30°C and 150°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- 213 mm removable stainless steel probe.
- Turns off automatically.
- With table stand, including protection case.
- Battery included.

code	range	mm	€
271407	-50/300°C	195x85x(H)45	75,00



271179



271186



271124

OVEN THERMOMETER

- Temperature range from 50°C to 300°C.
- Gradation 10°C.
- Stainless steel housing with special hook and support.
- Easy to read.

code	range	mm	€
271179	50/300°C	60x40x(H)70	4,75

REFRIGERATOR THERMOMETER

- Temperature range from -50°C to +25°C.
- Gradation 2,5°C.
- Stainless steel housing with special hook and support.
- Easy to read.

code	range	mm	€
271186	-50/25°C	60x40x(H)70	4,75

REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -50 °C to 50 °C.
- Gradation 1°C.
- Easy to read.

code	range	mm	€
271124	-50/50°C	ø72x(H)21	2,95

271117

REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -40 to 40 °C.
- Gradation 1°C.

code	range	mm	€
271117	-40/40°C	150x23x(H)9	1,95



271216



POCKET THERMOMETER

- Temperature range: from 0°C to 100°C.
- Gradation 1°C.
- 127 mm stainless steel probe.
- Probe cover with clip.
- Easy to read.

code	range	mm	€
271216	0/100°C	ø4.5x(H)140	4,75

REFRIGERATOR THERMOMETER

- Horizontal model, with hooks.
- Temperature range -40 to 20 °C.
- Gradation 1°C.

code	range	mm	€
271261	-40/20°C	123x30x(H)19	3,25



271261



271339

STEAK THERMOMETER

- With indication rare-medium-well done.
- 50 mm stainless steel probe.
- Suitable for use in the oven.

code	packed per	mm	€
271339	4	ø25x(H)70	7,95



582015

ANALOG KITCHEN TIMER

- Max. 60 minutes
- Accurate to 1 minute
- Magnetic rear
- Red marking indicates remaining time
- Well visible from a distance

code	mm	€
582015	ø80x(H)30	9,75



271247

MILK FROTHING THERMOMETER

- With clip to fasten the thermometer to the milk jug.
- Green marking indicates the ideal milk temperature for cappuccino etc.
- Temperature range -10 to 110°C.
- Gradation 1°C.
- Stainless steel probe with protective cover.
- Easy to read.

code	range	mm	€
271247	-10/110°C	ø44x(H)140	4,25



271155

With clip



Magnetic



DIGITAL KITCHEN TIMER

- With magnetic clip
- 99 min 59s count down
- Battery included

ABS
plastic

code	mm	€
271155	67x20x(H)67	5,50



582022

With stand
and magnet



DIGITAL KITCHEN TIMER

- With stand and magnet.
- 99 min. 59 s. count down.

code	mm	€
582022	65x70x(H)17	7,50



SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with integrated filter.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture or temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.



199961

code	mm	€
199961	ø68x(H)158	23,95



199978



199664



199657

GLASS DOME

- Ideal to use in combination with the smoke infuser, create a spectacular way to present dishes to customers.

code	mm	€
199978	ø245x(H)150	15,95

GLASS DOME WITH VENT

- Made from borosilicate glass, fitted with silicone vent to hold the tube of a smoke infuser.
- Ideal to use in combination with the smoke infuser, create a spectacular way to present dishes to customers.

code	-	mm	€
199657	Cocktail dome	ø130x(H)282	32,50
199664	Plate dome	ø260x(H)174	79,50



199985

SMOKING GUN PRO - SAGE COMMERCIAL

- The smoking gun pro allows you to infuse a variety of foods and drinks with natural smoky flavours like applewood & hickory without adding any heat.
- Removable stainless steel combustion chamber and smoking barrel, can't be melted by blowtorch use and prevents resin build up.
- The 50 cm flexible rubber hose is easy to install and remove.
- Heavy-duty removable fan - will not melt when heated.

- Fan can be removed for cleaning with the supplied Allen key.
- Efficient, low-noise motor with air flow adjustment knob.
- Runs on 4 AA batteries (included).
- Includes two 1/2 OZ sample jars of PolyScience® Hickory and Apple Wood Smoking Sawdust.

code	mm	€
199985	150x80x(H)165	179,50

SMOKER WOOD DUST

- Very fine aromatic oak chips.
- For use with cold smoke infusers/smoking guns.

code	weight (kg)	€
199787	0.5	5,95



199787

SMOKER WOOD DUST

- Very fine aromatic wood chips.
- For use with cold smoke infusers/smoking guns.
- Set of four 250 ml containers with different wood types: cherry, oak, hickory and mesquite.

code	liters	€
199770	1	17,95



199770



beech wood
199671



alder wood GOLD
199688



oak wood
199695



cherry wood
199701



applewood
199718



plum-tree wood
199725



maple wood
199732



apricot wood
199749



alder and Beech wood
SPECIAL
199763



AROMATIC WOOD CHIPS

– For hot smoking in a smoke box or smoke oven.

code	-	weight (kg)	€
199671	beech wood	0.25	2,95
199688	alder wood GOLD	0.25	2,95
199695	oak wood	0.25	2,95
199701	cherry wood	0.25	2,95
199718	applewood	0.25	2,95
199725	plum-tree wood	0.25	2,95
199732	maple wood	0.25	2,95
199749	apricot wood	0.25	2,95
199763	alder and Beech wood SPECIAL	0.25	2,95

DISPENSER BOTTLES

- Bottle made of polyethylene, cap made of polypropylene.
- The cap helps the sauce stay fresh and maintains hygiene



DISPENSER BOTTLES

code	packed per	colour	liters	mm	€
557808	1	Yellow	0.35	ø55x(H)205	1,35
557815	1	Red	0.35	ø55x(H)205	1,35
557822	1	Transparent	0.35	ø55x(H)205	1,35
557907	1	Yellow	0.7	ø70x(H)240	1,85
557914	1	Red	0.7	ø70x(H)240	1,85
557921	1	Transparent	0.7	ø70x(H)240	1,85
558003	1	Yellow	0.2	ø50x(H)185	1,05
558010	1	Red	0.2	ø50x(H)185	1,05
558027	1	Transparent	0.2	ø50x(H)185	1,05

DISPENSER BOTTLE SETS

code	packed per	colour	liters	mm	€
557839	3	Yellow	0.35	ø55x(H)205	4,75
557846	3	Red	0.35	ø55x(H)205	4,75
557853	3	Transparent	0.35	ø55x(H)205	4,75
557938	3	Yellow	0.7	ø70x(H)240	5,50
557945	3	Red	0.7	ø70x(H)240	5,50
557952	3	Transparent	0.7	ø70x(H)240	6,50
558034	3	Yellow	0.2	ø50x(H)185	3,40
558041	3	Red	0.2	ø50x(H)185	3,40
558058	3	Transparent	0.2	ø50x(H)185	3,50



557969

SAUCE STAND

- Quality finish.
- With 3 holes.
- Suitable for Hendi dispenser bottles.



code	mm	€
557969	209x80x(H)78	10,95
557976	229x90x(H)78	11,95
557983	274x102x(H)98	13,95



630648

HOTDOG STAND

- Quality finish.
- 2 dispenser bottle slots and 2 hotdog slots.
- Suitable for Hendi Dispenser bottles 70 cl.



code	mm	€
630648	260x110x(H)118	15,95



CONFECTIONERY FUNNEL KITCHEN LINE

- With ergonomic handle, design of stop valve ensures a tight seal.
- With three different nozzles (Ø 4, 5 and 6 mm).
- Designed for dosing sauces of various consistency and decorating of dishes and confectionery.
- With wire stand.

code	liters	mm	€
551813	1.5	270x195x(H)270	49,95



551813



With three different nozzles (4, 5 and 6 mm)



551806



With three different nozzles (2, 4 and 6 mm)



CONFECTIONERY FUNNEL PROFI LINE

- Ergonomic handle made of polypropylene.
- Design of stop valve ensures a tight seal.
- With three different nozzles (Ø 2, 4 and 6 mm).
- Wire stand and dripping dish.
- Designed for dosing sauces of various consistencies and decorating of dishes and confectionery.

code	liters	mm	€
551806	1.5	ø190x(H)220	67,50





FOOD RING ROUND

– Perfect for plating food in refined shapes.

code	mm	€
512104	ø70x(H)45	2,95
512135	ø60x(H)45	2,75
512302	ø90x(H)45	3,75



FOOD RING AND PUSHER ROUND

– Perfect for plating food in refined shapes.

code	-	mm	€
512142	food ring	ø80x(H)45	3,25
512159	food ring	ø100x(H)45	4,25
512203	pusher	ø80x(H)55	2,25
512210	pusher	ø100x(H)55	2,65



FOOD RING AND PUSHER SQUARE

– Perfect for plating food in refined shapes.

code	-	mm	€
512166	food ring	65x65x(H)45	3,85
512173	food ring	80x80x(H)45	4,95
512227	pusher	65x65x(H)55	2,25
512234	pusher	80x80x(H)55	2,65



512135

512104

512302



512203

512210



512142

512159



512227

512234



512166

512173



512302